

Docs Per Page: Entrez Date limit: [Click here to enter the new PubMed System](#)**citations 81-98 displayed (out of 98 found), page 5 of 5** for the articles selected (default all). documents on this page through Loansome Doc☐ [Ji Y, et al.](#) [\[See Related Articles\]](#)

Scavenger receptor BI promotes high density lipoprotein-mediated cellular cholesterol efflux.
J Biol Chem. 1997 Aug 22;272(34):20982-5.
PMID: 9261096; UI: 97407872.

☐ [Liu J, et al.](#) [\[See Related Articles\]](#)

Ribonucleic acid expression of the CLA-1 gene, a human homolog to mouse high density lipoprotein receptor SR-BI, in human adrenal tumors and cultured adrenal cells.
J Clin Endocrinol Metab. 1997 Aug;82(8):2522-7.
PMID: 9253328; UI: 97397267.

☐ [Murao K, et al.](#) [\[See Related Articles\]](#)

Characterization of CLA-1, a human homologue of rodent scavenger receptor BI, as a receptor for high density lipoprotein and apoptotic thymocytes.
J Biol Chem. 1997 Jul 11;272(28):17551-7.
PMID: 9211901; UI: 97362244.

☐ [Webb NR, et al.](#) [\[See Related Articles\]](#)

Alternative forms of the scavenger receptor BI (SR-BI).
J Lipid Res. 1997 Jul;38(7):1490-5.
PMID: 9254074; UI: 97396087.

☐ [Xu S, et al.](#) [\[See Related Articles\]](#)

Apolipoproteins of HDL can directly mediate binding to the scavenger receptor SR-BI, an HDL receptor that mediates selective lipid uptake.
J Lipid Res. 1997 Jul;38(7):1289-98.
PMID: 9254056; UI: 97396069.

☐ [Ng DS, et al.](#) [\[See Related Articles\]](#)

Disruption of the murine lecithin:cholesterol acyltransferase gene causes impairment of adrenal lipid delivery and up-regulation of scavenger receptor class B type I.
J Biol Chem. 1997 Jun 20;272(25):15777-81.
PMID: 9188474; UI: 97332663.

☒ [Rigotti A, et al.](#) [\[See Related Articles\]](#)

Scavenger receptor BI--a cell surface receptor for high density lipoprotein.

Curr Opin Lipidol. 1997 Jun;8(3):181-8. Review.
PMID: 9211067; UI: 97354872.

- ☒ Kozarsky KF, et al. [See Related Articles]
Overexpression of the HDL receptor SR-BI alters plasma HDL and bile cholesterol levels.
Nature. 1997 May 22;387(6631):414-7.
PMID: 9163428; UI: 97305960.
- ☐ Mizutani T, et al. [See Related Articles]
Cloning, characterization, and cellular distribution of rat scavenger receptor class B type I (SRBI) in the ovary.
Biochem Biophys Res Commun. 1997 May 19;234(2):499-505.
PMID: 9177301; UI: 97320450.
- ☒ Babitt J, et al. [See Related Articles]
Murine SR-BI, a high density lipoprotein receptor that mediates selective lipid uptake, is N-glycosylated and fatty acylated and colocalizes with plasma membrane caveolae.
J Biol Chem. 1997 May 16;272(20):13242-9.
PMID: 9148942; UI: 97294737.
- ☐ Freeman MW. [See Related Articles]
Scavenger receptors in atherosclerosis.
Curr Opin Hematol. 1997 Jan;4(1):41-7. Review.
PMID: 9050378; UI: 97196357.
- ☒ Rigotti A, et al. [See Related Articles]
Regulation by adrenocorticotrophic hormone of the in vivo expression of scavenger receptor class B type I (SR-BI), a high density lipoprotein receptor, in steroidogenic cells of the murine adrenal gland.
J Biol Chem. 1996 Dec 27;271(52):33545-9.
PMID: 8969220; UI: 97125998.
- ☐ Wang N, et al. [See Related Articles]
Scavenger receptor BI (SR-BI) is up-regulated in adrenal gland in apolipoprotein A-I and hepatic lipase knock-out mice as a response to depletion of cholesterol stores. In vivo evidence that SR-BI is a functional high density lipoprotein receptor under feedback control.
J Biol Chem. 1996 Aug 30;271(35):21001-4.
PMID: 8798380; UI: 96408003.
- ☐ Landschulz KT, et al. [See Related Articles]
Regulation of scavenger receptor, class B, type I, a high density lipoprotein receptor, in liver and steroidogenic tissues of the rat.
J Clin Invest. 1996 Aug 15;98(4):984-95.
PMID: 8770871; UI: 96366732.
- ☐ Acton S, et al. [See Related Articles]
Identification of scavenger receptor SR-BI as a high density lipoprotein receptor.
Science. 1996 Jan 26;271(5248):518-20.
PMID: 8560269; UI: 96152374.

☐ Steinberg D. [See Related Articles]

A docking receptor for HDL cholesterol esters.

Science. 1996 Jan 26;271(5248):460-1. Review. No abstract available.

PMID: 8560256; UI: 96152361.

☐ Rigotti A, et al. [See Related Articles]

The class B scavenger receptors SR-BI and CD36 are receptors for anionic phospholipids.

J Biol Chem. 1995 Jul 7;270(27):16221-4.

PMID: 7541795; UI: 95332328.

☐ Acton SL, et al. [See Related Articles]

Expression cloning of SR-BI, a CD36-related class B scavenger receptor.

J Biol Chem. 1994 Aug 19;269(33):21003-9.

PMID: 7520436; UI: 94342261.

documents on this page through Loansome Doc

This is page 5 of 5.

Page